

---

# Arburg 420c

---

Used Arburg for sale - Machineseeker  
arburg used machine for sale - RESALE.INFO  
Used Arburg 420 for sale - Machineseeker  
ALLROUNDER 270 C - Arburg  
Arburg 420C 800-250 Allrounder - Refurbishment  
Complete ...  
ALLROUNDER 370/420 C Technical data  
Spare parts - ARBURG  
ALLROUNDER 320 C - Arburg  
ARBURG 420 C 1000-350  
Used Arburg 420C for sale. Arburg equipment &  
more | Machinio  
Arburg 420C 1500 350 for sale 174265  
Arburg 420c  
Arburg 420C 1000-250 Injection moulding  
machine - Exapro  
ARBURG 420C Golden Inje - 319418 For Sale Used  
N/A  
Used ARBURG machines for sale  
ALLROUNDER 420 C - Arburg  
Home - ARBURG  
Manual Arburg | Input/Output | Safety  
Arburg 420C Arburg, 420C, 110 Ton, 7.4 oz. Shot  
Size ...  
Arburg 420C Injection Moulding Machine -  
Refurbished by STV Machinery

## **CUEVAS CANTRELL**

Used Arburg for sale -  
 Machineseker Arburg  
 420cus din din us din  
 din us us 4 330 400  
 1245 273-1 Ø 40 305  
 85 295 y b a c d x Ø 32  
 Ø 32-0,1 Ø 24 3 12-0,1  
 19 50 30° 20 Ø 60 Ø  
 90 35 97,5 32,5 490  
 280 100 105 120 120  
 290 Ø 31 mould  
 installation dimensions  
 | 420 c golden  
 editionALLROUNDER  
 420 C - ArburgArburg  
 420C 1000- used  
 machine Injection  
 moulding machine  
 Arburg 420C 1000-350  
 Built in 1996 Delivery  
 100 t Tie-bar spacing  
 420 mm Installation  
 height min. 250 mm  
 Opening path 500 mm  
 Cylinder diameter 45  
 mm Spray...Used  
 Arburg 420C for sale.  
 Arburg equipment &  
 more | MachinioArburg,  
 a German machine

construction company,  
 is one of the leading  
 global manufacturers  
 of injection moulding  
 machines for plastics  
 processing. Fields of  
 application include the  
 production of plastic  
 parts for motor  
 vehicles,  
 communications and  
 consumer electronics,  
 medical technology,  
 domestic appliances  
 and packaging.Home -  
 ARBURGARburg 420C  
 Arburg, 420C, 110 Ton,  
 7.4 oz. Shot Size  
 Injection Molding Press,  
 16.53" x 15.53"  
 Between Tie Bars,  
 22.44" x 22.44" Platen  
 Size, Core Pull with  
 Accu-Feed Feeder and  
 Vacuum LoaderArburg  
 420C Arburg, 420C,  
 110 Ton, 7.4 oz. Shot  
 Size ...j ARBURG  
 energy saving system  
 AES (rpm changeable  
 for hydrau-lic pump  
 drive) Minimum oil

volume, oil change interval every 20,000 hours Monitoring of oil level, oil temperature and oil filter contamination Fine mesh oil filter in the return line Mechanical regulation of hydraulic oil temperature j Electronic regulation of hydraulic ALLROUNDER 370/420 C Technical data ARBURG 420C 1000-250 Advance / Hybrid machine Year of construction: 2004 Injection unit: Screw diameter: 35 mm Injection weight: 121 g Injection pressure: 1820 bar Dosage volume: 144 ccm Clamping unit : Closing force: 100 t Distance between bars: 420x420 mm Size of the clamping plates: 570x570 mm Ejector: hydraulic Clamping unit: hydraulic Bgctczkqeup Control:

SELOGICA Additional equipment: Hybrid machine, energy-saving, very quiet The main motor in the machine - servo motor controlled by the ...Used Arburg 420 for sale - Machineseekeer ARBURG Allrounder 420C 1000-350-60 warehouse no.: 502623 manufacturer: ARBURG Typ: Allrounder 420C 1000-350-60 Controller Unit: SELOGICA year of construction: 2006 operating hours: 58000 h The vertical , second injection unit, of the type 60, has screw diameter 18 mm, swept volume 20 ccm, injection pressure 2500 bar. arburg used machine for sale - RESALE.INFO Genuine spare parts from ARBURG offer you the following advantages: high standard of

quality, suitable and application-specific components guaranteed, high global parts availability and easy ordering. Your production will quickly be back up and running again. Spare parts - ARBURGUS DIN DIN US DIN DIN US US 2 803 1168 1850 516 640 500 120 330 44 1991 640 31271) 1431 730 478 800 31811) 2) 235 MACHINE DIMENSIONS | 320 C GOLDEN EDITION Electrical connection ALLROUNDE R 320 C - Arburg Holes for ARBURG mechanical mould rapid clamping system M8-16 deep. US | | US | | US US Injection units according to EUROMAP Screw diameter mm Polystyrene max. g PS Styrene heteropolymerizates max. g SB max. g SAN,

ABS1) Cellulose acetate max. g CA1) Celluloseacetobutyrate max. g CAB1) ALLROUNDER 270 C - Arburg Code: CT656700 ARBURG 420 C 1000-350 PRESSA INIEZIONE, IDRAULICA, TON., 100, COLORE VERDONE - Usato <http://www.corimactrade.it/it/arburg-...ARBURG> 420 C 1000-350 This Arburg 420C 800-250 Allrounder has now been fully refurbished by the team at STV Machinery. The Arburg machines with Selogica controller are one of the most popular machines on the used market and Arburg have done exceptionally well with the combination over the years. Arburg 420C 800-250 Allrounder - Refurbishment Complete ...Arburg

Allrounder 420C Golden Edition, 110 ton Inj Molding machine, 7.3 Oz shot size, 16" between tie bars, 100 pounds/hr vacuum loader Novatec Desiccant Dryer MD-50 with 200# hopper, 100 pounds/hr vacuum loader Augatherm Mold Temp controller by Thermocare, with cooling tower emulator Temptec 4 ton air cooled chiller ARBURG 420C Golden Inje - 319418 For Sale Used N/A Arburg is a leading German manufacturer of injection machines for the plastic industry. They have an aftersales and project support service in over 100 countries. Their main factory is located in Lossburg, Germany and employs around 2300 people. Used ARBURG machines for sale For full details of

this machine, please visit our website at [www.stvmachinery.co.uk](http://www.stvmachinery.co.uk). STV Machinery specialise in Yizumi moulding machines and refurbishment of all manufactures of machines. We ... Arburg 420C Injection Moulding Machine - Refurbished by STV Machinery CNC plastic injection moulding machine Arburg Allrounder Centex 570 C 2000-350/150 1 piece CNC plastic injection moulding machine Arburg Allrounder Centex 570 C 2000-350/150, S/N 204334, YOC 03/2007, rated current 103,0/39,0 A, total connection 99 kW, international designation 2000-350, with control Aburg Selogica, distance between bars approx. 570 mm, clamping

force: 200 t, screw diameter ...Used Arburg for sale - MachinesekerARBURG cannot be held liable for any damage resulting from such misuse. The risk of such misuse lies entirely with the user. BAM\_207185\_000\_EN\_10. The machine must only be used in technically perfect condition and in accordance with its designated use and the instructions specified in the operating manual, ...Manual Arburg | Input/Output | SafetyFor sale used Arburg 420C 1000-250 available in Germany, find used Injection moulding machines on [www.exapro.com](http://www.exapro.com) This site uses cookies. By continuing to browse Exapro, you are agreeing to use cookies on our

site.Arburg 420C 1000-250 Injection moulding machine - ExaproArburg 420C 1500-350 Selogica injection moulding machine with picker for sale. Control Selogica, built year 1998, working hours 57660, condition very good. Clamping force 150 t, holm distance ...Arburg 420C 1500 350 for sale 174265serial Nr. 1798986 year of built 2000 Weight 3430 kg clamping force 1000 kN voltage 230 motor outputs power 32,24 kW minimum moulding size 250 mm mould opening size 500 (750 mm) ejection stroke 175 mm tie bar distance 420 x 420 mm maximum produce parts with a shot size 230 ccm / 194 gramm oil to fill in 230 l hours of Production 60027 Be2srvv8a working

Condition very good  
 location of Machine ...  
 ARBURG cannot be held liable for any damage resulting from such misuse. The risk of such misuse lies entirely with the user. BAM\_207185\_000\_EN\_10. The machine must only be used in technically perfect condition and in accordance with its designated use and the instructions specified in the operating manual, ...

**arburg used machine for sale - RESALE.INFO**

j ARBURG energy saving system AES (rpm changeable for hydraulic pump drive) Minimum oil volume, oil change interval every 20,000 hours Monitoring of oil level, oil temperature and oil filter contamination Fine mesh oil filter in

the return line  
 Mechanical regulation of hydraulic oil temperature j  
 Electronic regulation of hydraulic

**Used Arburg 420 for sale -**

**Machineseeker**

ARBURG Allrounder 420C 1000-350-60 warehouse no.: 502623 manufacturer: ARBURG Typ: Allrounder 420C 1000-350-60 Controller Unit: SELOGICA year of construction: 2006 operating hours: 58000 h The vertical , second injection unit, of the type 60, has screw diameter 18 mm, swept volume 20 ccm, injection pressure 2500 bar.

*ALLROUNDER 270 C - Arburg*

us din din us din din us  
 us 4 330 400 1245  
 273-1 Ø 40 305 85 295  
 y b a c d x Ø 32 Ø  
 32-0,1 Ø 24 3 12-0,1

19 50 30° 20 Ø 60 Ø  
 90 35 97,5 32,5 490  
 280 100 105 120 120  
 290 Ø 31 mould  
 installation dimensions  
 | 420 c golden edition

**Arburg 420C  
 800-250 Allrounder -  
 Refurbishment  
 Complete ...**

US DIN DIN US DIN DIN  
 US US 2 803 1168  
 1850 516 640 500 120  
 330 44 1991 640  
 31271) 1431 730 478  
 800 31811) 2) 235  
 MACHINE DIMENSIONS  
 | 320 C GOLDEN  
 EDITION Electrical  
 connection

**ALLROUNDER  
 370/420 C Technical  
 data**

Arburg 420C Arburg,  
 420C, 110 Ton, 7.4 oz.  
 Shot Size Injection  
 Molding Press, 16.53" x  
 15.53" Between Tie  
 Bars, 22.44" x 22.44"  
 Platen Size, Core Pull  
 with Accu-Feed Feeder  
 and Vacuum Loader

Arburg 420C 1000-  
 used machine Injection  
 moulding machine  
 Arburg 420C 1000-350  
 Built in 1996 Delivery  
 100 t Tie-bar spacing  
 420 mm Installation  
 height min. 250 mm  
 Opening path 500 mm  
 Cylinder diameter 45  
 mm Spray...

Spare parts - ARBURG

Holes for ARBURG  
 mechanical mould  
 rapid clamping system  
 M8-16 deep. US | | US |  
 | US US Injection units  
 according to EUROMAP  
 Screw diameter mm  
 Polystyrene max. g PS  
 Styrene  
 heteropolymerizates  
 max. g SB max. g SAN,  
 ABS1) Cellulose  
 acetate max. g CA1)  
 Celluloseacetobutyrate  
 max. g CAB1)  
ALLROUNDER 320 C -  
 Arburg  
 Arburg 420c  
 ARBURG 420 C  
 1000-350



Arburg Allrounder 420C Golden Edition, 110 ton Inj Molding machine, 7.3 Oz shot size, 16" between tie bars, 100 pounds/hr vacuum loader Novatec Desiccant Dryer MD-50 with 200# hopper, 100 pounds/hr vacuum loader Augatherm Mold Temp controller by Thermocare, with cooling tower emulator Temptec 4 ton air cooled chiller  
Used Arburg 420C for sale. Arburg equipment & more | Machinio  
 Genuine spare parts from ARBURG offer you the following advantages: high standard of quality, suitable and application-specific components guaranteed, high global parts availability and easy ordering. Your production will quickly be back up and

running again.

**Arburg 420C 1500 350 for sale 174265**

Arburg 420C 1500-350 Selogica injection moulding machine with picker for sale. Control Selogica, built year 1998, working hours 57660, condition very good. Clamping force 150 t, holm distance ...  
*Arburg 420c*  
 serial Nr. 1798986 year of built 2000 Weight 3430 kg clamping force 1000 kN voltage 230 motor outputs power 32,24 kW minimum moulding size 250 mm mould opening size 500 (750 mm) ejection stroke 175 mm tie bar distance 420 x 420 mm maximum produce parts with a shot size 230 ccm / 194 gramm oil to fill in 230 l hours of Production 60027 Be2srvv8a working Condition very good location of Machine ...

*Arburg 420C 1000-250 Injection moulding machine - Exapro*  
 This Arburg 420C 800-250 Allrounder has now been fully refurbished by the team at STV Machinery. The Arburg machines with Selogica controller are one of the most popular machines on the used market and Arburg have done exceptionally well with the combination over the years.

*ARBURG 420C Golden Inje - 319418 For Sale Used N/A*

For sale used Arburg 420C 1000-250 available in Germany, find used Injection moulding machines on [www.exapro.com](http://www.exapro.com) This site uses cookies. By continuing to browse Exapro, you are agreeing to use cookies on our site.

*Used ARBURG machines for sale*  
 CNC plastic injection moulding machine  
 Arburg Allrounder Centex 570 C  
 2000-350/150 1 piece  
 CNC plastic injection moulding machine  
 Arburg Allrounder Centex 570 C  
 2000-350/150, S/N 204334, YOC 03/2007, rated current 103,0/39,0 A, total connection 99 kW, international designation 2000-350, with control Aburg Selogica, distance between bars approx. 570 mm, clamping force: 200 t, screw diameter ...

*ALLROUNDER 420 C - Arburg*

Arburg, a German machine construction company, is one of the leading global manufacturers of injection moulding

machines for plastics processing. Fields of application include the production of plastic parts for motor vehicles, communications and consumer electronics, medical technology, domestic appliances and packaging.

### **Home - ARBURG**

ARBURG 420C  
 1000-250 Advance / Hybrid machine Year of construction: 2004  
 Injection unit: Screw diameter: 35 mm  
 Injection weight: 121 g  
 Injection pressure: 1820 bar Dosage volume: 144 ccm  
 Clamping unit : Closing force: 100 t Distance between bars: 420x420 mm Size of the clamping plates: 570x570 mm Ejector: hydraulic Clamping unit: hydraulic  
 Bgtczkqeu Control: SELOGICA Additional

equipment: Hybrid machine, energy-saving, very quiet The main motor in the machine - servo motor controlled by the ...  
[Manual Arburg | Input/Output | Safety](#)  
 Arburg is a leading German manufacturer of injection machines for the plastic industry. They have an aftersales and project support service in over 100 countries. Their main factory is located in Lossburg, Germany and employs around 2300 people.

### **Arburg 420C Arburg, 420C, 110 Ton, 7.4 oz. Shot Size ...**

For full details of this machine, please visit our website at [www.stvmachinery.co.uk](http://www.stvmachinery.co.uk). STV Machinery specialise in Yizumi moulding machines and refurbishment of all manufactures of

machines. We ...